# - Innosoft~Innoprotect



Please see attached manufacturers' data

#### **CONTACT**

Please make contact directly with your local service centre, which can be found via the Address:

Locations page of our web site

Web: www.aalco.co.uk

#### **REVISION HISTORY**

10 January 2019 **Datasheet Updated** 

#### **DISCLAIMER**

This Data is indicative only and as such is not to be relied upon in place of the full specification. In particular, mechanical property requirements vary widely with temper, product and product dimensions. All information is based on our present knowledge and is given in good faith. No liability will be accepted by the Company in respect of any action taken by any third party in reliance thereon.

Please note that the 'Datasheet Update' date shown above is no guarantee of accuracy or whether the datasheet is up to date.

The information provided in this datasheet has been drawn from various recognised sources, including EN Standards, recognised industry references (printed & online) and manufacturers' data. No guarantee is given that the information is from the latest issue of those sources or about the accuracy of those sources.

Material supplied by the Company may vary significantly from this data, but will conform to all relevant and applicable standards.

As the products detailed may be used for a wide variety of purposes and as the Company has no control over their use; the Company specifically excludes all conditions or warranties expressed or implied by statute or otherwise as to dimensions, properties and/or fitness for any particular  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left$ purpose, whether expressed or implied.

Advice given by the Company to any third party is given for that party's assistance only and without liability on the part of the Company. All transactions are subject to the Company's current Conditions of Sale. The extent of the Company's liabilities to any customer is clearly set out in those Conditions; a copy of which is available on request.

[1 OF 19] CONTINUED  $\bigcirc$ 



- Innosoft~Innoprotect



# SAFETY DATA SHEET Innoshine B570

according to Regulation (EC) No 1907/2006



#### SECTION 1: Identification of the mixture and of the company / undertaking

#### 1.1. Product identifier

Product name: Innoshine B570

### 1.2. Relevant identified uses of the mixture and uses advised against

Product use: Ready-to-use cleaner for stainless steel and other non-ferrous metals, for use according to the user instructions.

Use against which is recommended: This product must not be used for other applications then that which are recommend without seeking advice of the supplier.

Process categories (explanations see section 16):

PROC 10

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier: ACEROS Metal Treatment

Twentepoort Oost 15 7609 RG Almelo The Netherlands

Slachthuiskade 40 7602 CV Almelo The Netherlands

Phone.: +31(0)88 546 6040

E-mail: <u>info@acerosmetal.com</u>
Web: <u>www.acerosmetal.com</u>

1.4. Emergency telephone number

Phone.: +31(0)88 546 6040

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes serious eye damage.

Revision No: 1,00 Last modified on: 05/12/2018 Page 1 of 9

- Innosoft~Innoprotect



# SAFETY DATA SHEET Innoshine B570

according to Regulation (EC) No 1907/2006



#### 2.2. Label elements

Hazardous components which must be listed on the label

Fatty alcohol polyethoxylate Signal word: Danger Pictogram: GHS05



#### Hazard statements

H318 Causes serious eye damage

#### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

P338 present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### SECTION 3: Composition and information on ingredients

#### 3.2 Mixtures

#### Hazardous components

EC No	Chemical name	Quantity
CAS No		
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
307-055-2	sodium alkyl sufonate	5 - < 10 %
97489-15-1		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1; H302 H315 H318	
01-2119489924-20		
	fatty alcohol ethoxylate	1 - < 5 %
68439-46-3	5000.	
	Eye Dam. 1, Aquatic Chronic 3; H318 H412	
226-218-8	sulfamic acid, sulphamic acid, sulphamidic acid	1 - < 5 %
5329-14-6		
016-026-00-0	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H315 H319 H412	
01-2119488633-28	-	

Full text of H- and EUH-phrases: see section 16.

#### Labelling for contents according to Regulation (EC) No 648/2004

5% - 15% anionic surfactants, < 5% non-ionic surfactants, perfumes (Limonene, Hexyl cinnamal, Butylphenyl methylpropional, Benzyl salicylate), preservation agents (Benzisothiazolinone, Methylisothiazolinone).

Revision No: 1,00 Last modified on: 05/12/2018

Page 2 of 9

# - Innosoft~Innoprotect



#### SAFETY DATA SHEET Innoshine B570

according to Regulation (EC) No 1907/2006



#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation:

No inhalation exposure is to be expected if the product is used as intended.

#### Skin contact

Wash affected areas with soap and water and rinse well.

Immediately take off all contaminated clothing.

#### Eve contact:

Rinse opened eyes several minutes under running water and call medical attention.

#### Indestion:

Wash out mouth with water and drink plenty of water.

Do not induce vomiting, instantly call medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

#### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable: water jet, alcohol-resistant foam, carbon dioxide, extinguishing powder.

Not suitable: Heavy jet of water.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: carbon dioxide, carbon monoxide.

#### 5.3. Advice for firefighters

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes, skin and clothes.

Wear personal protection equipment (see section 8).

#### 6.2. Environmental precautions:

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

#### 6.3. Methods and materials for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

Revision No: 1,00 Last modified on: 05/12/2018

Page 3 of 9

- Innosoft~Innoprotect



# SAFETY DATA SHEET Innoshine B570

according to Regulation (EC) No 1907/2006



#### SECTIE 7: Handling and storage

#### 7.1. Precautions for safe handling

#### Advice on safe handling

- Avoid contact with skin and eyes.
- · Do not mix with other products.
- Wear personal protection equipment (see section 8).
- . Do not eat, drink and smoke in work areas.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Advice on storage compatibility

No special measures are necessary.

#### 7.3. Specific end uses

#### SECTIE 8: Exposure controls/personal protection

# 8.1. Control parameters DNEL/DMEL values CAS No. | Substance

CAS NO   Substance			
DNEL type	Exposure route	Effect	Value
97489-15-1   sodium alkyl sufonate		*	*
Worker DNEL, long-term	dermal	systemic	5 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	35 mg/m <sup>3</sup>
Worker DNEL, acute	dermal	local	2,8 mg/cm <sup>2</sup>
Worker DNEL, long-term	dermal	local	2,8 mg/cm <sup>2</sup>
Consumer DNEL, acute	dermal	local	2,8 mg/cm <sup>2</sup>
Consumer DNEL, long-term	dermal	systemic	3,57 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	12,4 mg/m <sup>3</sup>
Consumer DNEL, long-term	oral	systemic	7,1 mg/kg bw/day
Consumer DNEL, long-term	dermal	local	2,8 mg/cm <sup>2</sup>
PNEC values			
CAS No   Substance			
Environmental compartment			Value
97489-15-1   sodium alkyl sufonate			
Freshwater	VA.		0,04 mg/l
Marine water			0,004 mg/l
Freshwater sediment	•		9,4 mg/kg
Marine sediment		·	0,94 mg/kg
Soil			9,4 mg/kg
Microorganisms in sewage treatment plants (STF	P)		600 mg/l
68439-46-3   fatty alcohol ethoxylate			
	<u> </u>	·	

Revision No: 1,00 Last modified on: 05/12/2018 Page 4 of 9

# - Innosoft~Innoprotect



# SAFETY DATA SHEET Innoshine B570

according to Regulation (EC) No 1907/2006



#### 8.2. Exposure controls

#### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink or smoke.

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time) >480 min. A survey of suitable brands with detailed information on breakthrough times is available upon request.

#### Skin protection

Wear suitable protective clothing.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid. Colour: White.

Odour: Perfumes, fragrances.

pH-Value 2.8 – 3.4

Chanes in the physical state

Melting point: ca. 0 °C Initial boiling point and boiling range: ca. 100 °C Ca. 100 °C Not applicable

Flammability

Solid: Not applicable
Gas: Not applicable
Lower explosion limits: Not applicable
Upper explosion limits: Not applicable

Auto-ignition temperature

Solid: Not applicable
Gas: Not applicable
Decomposition temperature: Not determined

Oxidizing properties

Not oxidizing.

Vapour pressure:

Density (at 25°C):

Water solubility:

Not determined
1.17 g/cm³
partially soluble

Solubility in other solvents

Not determined

Partition coefficient: Not determined Viscosity/dynamic (at 25°C): <1000 mPas

Revision No: 1,00 Last modified on: 05/12/2018 Page 5 of 9

# - Innosoft~Innoprotect



# SAFETY DATA SHEET Innoshine B570

according to Regulation (EC) No 1907/2006



Vapour density: Not determined Evaporation rate: Not determined

9.2. Other information

Solid content: Not determined

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

No hazardous incompatibilities known.

#### 10.6. Hazardous decomposition products

No hazardous decomposition known.

#### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name			0		
	Exposures routes	Method	Dose	Species	Source	
97489-15-1	Sodium alkyl sufonate					
	Oral	LD50	>2000 mg/kg	Rat	OECD 401	
	Dermal	LD50	>2000 mg/kg	Mouse		
	Inhalative aerosol	LC50	>5 mg/l	Rat	ATE	
68439-46-3	Fatty alcohol ethoxylate				3	
	Oral	LD50	>2000 mg/kg	Rat		
	Dermal	LD50	>2000 mg/kg	Rabbit		
	Inhalative aerosol	LC50	>5 mg/l	Rat	ATE	
5329-14-6	Sulfamic acid, sulphamic acid, sulp	Sulfamic acid, sulphamic acid, sulphamidic acid				
	Oral	LD50	>2000 mg/kg	Rat	ATE	
	Dermal	LD50	>2000 mg/kg	Rat	ATE	
	Inhalative aerosol	LC50	>5 mg/l	rat	ATE	

Revision No: 1,00 Last modified on: 05/12/2018 Page 6 of 9

- Innosoft~Innoprotect



#### **SAFETY DATA SHEET** Innoshine B570

according to Regulation (EC) No 1907/2006



# **SECTION 12: Ecological information**

12.1. Toxicity

	TOXICITY					
CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
97489-15-1	Sodium alkyl sulfonate				50 X X X X X X X X X X X X X X X X X X X	*
	Acute fish toxicity	LC50	1-10 mg/l	96 h	Brachydanio rerio (zebra-fish)	OECD 203
	Acute algae toxicity	ErC50	>61 mg/l	72 h	Scenedesmus subspicatus	OECS 201
	Acute crustacea toxicity	EC50	9,81 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202
68439-46-3	Fatty alcohol ethoxylate					
	Acute fish toxicity	LC50	>1-10 mg/l	96 h	Cyprinus carpio (Common Carp)	OECD 203
	Acute algae toxicity	ErC50	>1-10 mg/l	72 h	Scenedesmus subspicatus	OECS 201
	Acute crustacea toxicity	EC50	>1-10 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202
	Crustacea toxicity	NOEC	0,37 mg/l	21 h	Daphnia magna (Big water flea)	
	Acute bacteria toxicity	(140 mg/l)		0 h	Activated sludge	
5329-14-6	Sulfamic acid, sulphamic	acid, sulpham	idic acid			
	Acute fish toxicity	LC50	70,3 mg/l	96 h	Pimephales promelas (fathead minnow)	

#### 12.2. Persistence and degradability

The surfactants contained in this product comply with the biodegradability criteria as laid down in regulation 648/2004/EC on detergents.

	LO di detergento.						
CAS No	Chemical name	Chemical name					
	Method	Value	D	Source			
	Evaluation						
97489-15-1	Sodium alkyl sulfonate						
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	78%	28				
	Readily biodegradable (according to OECD crite	eria).					
	OECD 301E/ EEC 92/69/V, C.4-B	89	28				
	Readily biodegradable (according to OECD crite	егіа).					
	OECD 303/ EEC 92/69/V, C10	OECD 303/ EEC 92/69/V, C10 96.2 34					
	Readily biodegradable (according to OECD crite	eria).					
68439-46-3	Fatty alcohol ethoxylate	**					
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	>60%	28				
	Readily biodegradable (according to OECD crite	егіа).					

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

**12.4. Mobility in soil** The product has not been tested.

Revision No: 1,00 Last modified on: 05/12/2018 Page 7 of 9

- Innosoft~Innoprotect



#### **SAFETY DATA SHEET** Innoshine B570

according to Regulation (EC) No 1907/2006



#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No information available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

Waste disposal number of waste from residues/unused products

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats,

grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother

liauors

Classified as hazardous waste.

Waste disposal number of contaminated packaging
150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

#### **SECTIE 14: Transport information**

14.1 Land transport (ADR/RID)

No dangerous good in sense of these transport regulations. UN number:

14.2 Inland waterways transport (ADN)

UN number: No dangerous good in sense of these transport regulations.

14.3 Marine transport (IMDG)

UN number: No dangerous good in sense of these transport regulations.

14.4 Air transport (ICAO)

UN number: No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

**ENVIRONMENTALLY HAZARDOUS: no** 

#### **SECTIE 15: Regulatory information**

# 15.1. Safety, health and environmental regulations / legislation specific for the mixture or substance

EU regulatory information

2010/75/EU (VOC): <30%

Additional information

Regulation (EC) No. 648/2004 (Detergents regulation)

National regulatory information

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

Revision No: 1,00 Last modified on: 05/12/2018 Page 8 of 9

# - Innosoft~Innoprotect



#### **SAFETY DATA SHEET** Innoshine B570

according to Regulation (EC) No 1907/2006



#### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road )

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection.

#### Relevant H- and EUH-phrases (Number and full text)

H 302 Harmful if swallowed.

H 315 Causes skin irritation.

H 318 Causes serious eye damage.

H 319 Causes serious eye irritation.

H 412 Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safetydata sheet.)

Revision No: 1,00 Last modified on: 05/12/2018 Page 9 of 9

- Innosoft~Innoprotect



# SAFETY DATA SHEET Innocare B580

according to REGULATION (EC) No 1907/2006



#### SECTION 1: Identification of the mixture and of the company / undertaking

#### 1.1. Product identifier

Product name: Innocare B580

### 1.2. Relevant identified uses of the mixture and uses advised against

Product use: Water-dilutable surface cleaner for use according to the user instructions.

Use against which is recommended: This product must not be used for other applications then that which are recommend without seeking advice of the supplier.

#### Process categories:

- PROC 8
- PROC 10
- PROC 11

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier: Aceros Metal Treatment

Twentepoort Oost 15 7609 RG Almelo The Netherlands

Slachthuiskade 40 7602 CV Almelo The Netherlands

Phone.: +31(088) 546 6040

E-mail: <u>info@acerosmetal.com</u>
Web: <u>www.acerosmetal.com</u>

#### 1.4. Emergency telephone number

Phone.: +31(088) 546 6040

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the mixture

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]. The product does not support combustion. It therefore needs not to be classified as flammable despite a flash point below  $60\,^{\circ}$ C.

#### 2.2. Label elements

Regulation (EC) No. 1272/2008
Special labelling of certain mixtures
EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

Revision No: 1,00 Last modified on: 05/12/2018

Page 1 of 8



#### **SAFETY DATA SHEET** Innocare B580

according to REGULATION (EC) No 1907/2006



#### SECTION 3: Composition and information on ingredients

Hazardous components

EC no	Chemical name	Quantity
CAS no		
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No	594 40.91	
200-578-6	Ethanol, ethyl alcohol	1-<5%
64-17-5	71 77	
603-002-00-5	Flam. Liq. 2, Eye Irrrit, 2; H225 H319	
01-2119457610-43		
	Sodium laureth sulfate	1-<5%
68891-38-3		
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412	
01-2119488639-16		7
to a feet the second of the	TILL physics are certified 4C	- 0

The full text of H- and EUH-phrases: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004
< 5 % polycarboxylates, < 5 % anionic surfactants, perfumes (Limonene, Butylphenyl methylpropional, Geraniol), preservation agents (Benzisothiazolinone, Methylisothiazolinone, Methylchloroisothiazolinone).

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation:

Supply fresh air.

#### Skin contact:

Wash affected areas with soap and water and rinse well. Take off all contaminated clothing and wash it before reuse.

Rinse immediately carefully and thoroughly with eye-bath or water.

Wash out mouth with water and drink plenty of water.

Do not induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media

Suitable: water jet, alcohol-resistant foam, carbon dioxide, extinguishing powder.

### Unsuitable extinguishing media

Full water jet

Revision No: 1,00 Last modified on: 05/12/2018 Page 2 of 8

# - Innosoft~Innoprotect



# SAFETY DATA SHEET Innocare B580

according to REGULATION (EC) No 1907/2006



#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: carbon dioxide, carbon monoxide.

#### 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (see chapter 8).

Avoid contact with skin, eyes and clothes.

#### 6.2. Environmental precautions:

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

#### 6.3. Methods and materials for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

#### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

- Avoid contact with skin, eyes and clothes.
- Do not mix with other chemicals.
- Wear personal protection equipment (see chapter 8).
- When using do not eat, drink or smoke.
- Do not breathe gas/fumes/vapour/spray.
- Use only in well-ventilated areas.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

### Advice on storage compatibility

No special measures are necessary.

#### 7.3. Specific end uses

Revision No: 1,00 Last modified on: 05/12/2018

Page 3 of 8

# - Innosoft~Innoprotect



# SAFETY DATA SHEET Innocare B580

according to REGULATION (EC) No 1907/2006



#### SECTION 8: Exposure controls and personal protection

#### 8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
			-		STEL (15min)	WEL

#### 8.2. Exposure controls

#### Protective and hygiene measures

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat, drink or smoke.

#### Eye/face protection

Eye protection: not required.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber).

Breakthrough time (maximum wearing time) >480 min.

A survey of suitable brands with detailed information on breakthrough times is available upon request.

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

If extensively sprayed or used with high pressure equipment: combination filter A1/P2.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: blue

Odour: Perfumes, fragrances

Test method

pH-Value (at 20°C) 6,0 – 7,0

Changes in the physical state

Melting point: ca. 0 °C Initial boiling point and boiling range: ca. 100 °C Flash point: 54 °C

Flammability

Solid: not applicable not applicable le not applicable le not applicable le le not applicable le le le not applicable le le le not determined le le not determined le not applicable not determined not determined

Revision No: 1,00 Last modified on: 05/12/2018

Page 4 of 8

# - Innosoft~Innoprotect



#### **SAFETY DATA SHEET** Innocare B580

according to REGULATION (EC) No 1907/2006



Auto-ignition temperature

not applicable Solid: not applicable Gas: Decomposition temperature: not determined

Oxidizing properties Not oxidizing.

Vapour pressure: not determined Density (at 25 °C): 1,02 g/cm3 completely miscible Water solubility:

Solubility in other solvents

Not determined

Partition coefficient: not determined Viscosity / dynamic(at 25 °C: <10 mPa·s Vapour density: not determined Evaporation rate: not determined

9.2. Other information

not determined Solid content:

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

Revision No: 1,00 Last modified on: 05/12/2018 Page 5 of 8



# SAFETY DATA SHEET Innocare B580

according to REGULATION (EC) No 1907/2006



#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name	nemical name						
	Exposure routes	Method	Dose	Species	Source			
64-17-5	Ethanol, ethyl alcohol							
	Oral	LD50	>2000 mg/kg	Rat	ATE			
	Dermal	LD50	>2000 mg/kg	Rat	ATE			
	Inhalative vapour	LC50	>20 mg/l	Rat	ATE			
68891-38-3	Sodium laureth sulfate							
	Oral	LD50	>2000 mg/kg	Rat				
	Dermal	LD50	>2000 mg/kg	Rat				
	Inhalative aerosol	LC50	>5 mg/l	Rat				

#### **SECTION 12: Ecological information**

12.1. Toxicity

Z. I. TOXICITY						
CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
64-17-5	Ethanol, ethyl alcohol	-8		n a sa s		
	Acute fish toxicity	LC50	>1000 mg/l	96 h		
	Acute algae toxicity	ErC50	>100 mg/l			
	Acute crustacea toxicity	ErC50	>1000 mg/l	48 h		
68891-38-3	Sodium laureth sulfate					
	Acute fish toxicity	LC50	7,1 mg/l	96 h		OECD 203
	Acute algae toxicity	ErC50	27,7 mg/l	72 h		OECD 201
	Acute crustacea toxicity	ErC50	7,4 mg/l	48 h	Daphnia magna	OECD 202
			15 15-12		(Big water flea)	
	Fish toxicity	NOEC	1 mg/l	45d		OECD 203
	Algea toxicity	NOEC	0,95 mg/l	3 d		OECD 201

#### 12.2. Persistence and degradability

The surfactants contained in this product comply with the biodegradability criteria as laid down in regulation

648/2004/EC on detergents.

CAS No	Chemical name			
CAS NO				
	Method	Value	d	Source
	Evaluation		~	~
64-17-5	Ethanol, ethyl alcohol			
	OECD 301	>60 %	28	
	Readily biodegradable (according to OECD criteria).			
68891-38-3	Sodium laureth sulfate			
	OECD 301	>60 %	28	
	Readily biodegradable (according to OECD criteria).			

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68891-38-3	Sodium laureth sulfate	0,95-3,90

Revision No: 1,00 Last modified on: 05/12/2018

Page 6 of 8

# - Innosoft~Innoprotect



#### SAFETY DATA SHEET Innocare B580

according to REGULATION (EC) No 1907/2006



# 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No information available.

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

#### Advice on disposal

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

#### Waste disposal number of waste from residues/unused products

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats,

grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of contaminated packaging
150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging.

#### Contaminated packaging

Non-contaminated packages may be recycled

#### **SECTION 14: Transport information**

#### 14.1 Land transport (ADR/RID)

UN number: No dangerous good in sense of these transport regulations.

#### 14.2 Inland waterways transport (ADN)

UN number: No dangerous good in sense of these transport regulations.

#### 14.3 Marine transport (IMDG)

No dangerous good in sense of these transport regulations. UN number:

#### 14.4 Air transport (ICAO)

UN number: No dangerous good in sense of these transport regulations.

#### 14.5 Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations / legislation specific for the mixture

**EU regulatory information** 2010/75/EU (VOC): <30%

#### Additional information

Regulation (EC) No. 648/2004 (Detergents regulation)

Revision No: 1,00 Last modified on: 05/12/2018 Page 7 of 8

# - Innosoft~Innoprotect



#### SAFETY DATA SHEET Innocare B580

according to REGULATION (EC) No 1907/2006



#### National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road )

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 10 (Roller application or brushing): Processing without large-scale spraying

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection.

### Relevant H- and EUH-phrases (Number and full text)

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Revision No: 1,00 Last modified on: 05/12/2018 Page 8 of 8

- Innosoft~Innoprotect



[19 OF 19]